

SAFETY DATA SHEET

1. Identification

BeautySoClean Cosmetic Sanitizer Wipes C246 Product identifier

Other means of identification Not available. Cosmetic sanitizer Recommended use None known. Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Professional Artists (Canada) Inc. Company name 40 - 1110 Finch Avenue West **Address**

Toronto, ON, M3J 3M2

Canada

Telephone 416-848-1251

E-mail contact@beautysoclean.com

905-761-8004 **Emergency phone number** Supplier See above.

2. Hazard identification

Flammable liquids Category 2 Physical hazards Serious eye damage/eye irritation **Health hazards** Category 2A

> Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, single exposure Category 3 narcotic effects

Environmental hazards Not classified. WHMIS 2015 defined hazards Not classified

Label elements



Signal word Danger

Highly flammable liquid and vapor. **Hazard statement**

Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Use explosion-proof electrical, ventilating and lighting equipment. Keep container tightly closed. Ground and bond container and receiving equipment. Use non-sparking tools. Take action to

prevent static discharges.

Avoid breathing mist or vapor. Wash thoroughly after handling. Wear protective gloves and eye

protection. Use only outdoors or in a well-ventilated area.

In case of fire: Use water fog, alcohol resistant foam, dry chemical powder or Carbon dioxide to Response

extinguish.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Store in a well-ventilated place. Keep cool. Storage

Store locked up.

Keep container tightly closed.

Dispose of container in accordance with local, regional, national and international regulations. **Disposal**

WHMIS 2015: Health Hazard(s) not otherwise classified

(HHNOC)

None known

#27792 Page: 1 of 9 Issue date 31-March-2020 WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise classified (HNOC)

None known.

None known

Supplemental information

None.

3. Com	position/Infor	mation on	ingredients

Mixture			
Chemical name	Common name and synonyms	CAS number	%
Ethanol		64-17-5	80 - 100*
Hexadecanoic acid, 1-methylethyl ester		142-91-6	1 - 5*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First-aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. If skin Skin contact

irritation occurs: Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Eye contact

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call poison control center or doctor for Ingestion

treatment advice.

Most important

symptoms/effects, acute and

delaved

Indication of immediate medical attention and special treatment needed

General information

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

respiratory irritation. Coughing.

Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods

General fire hazards **Hazardous combustion** products

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide.

Do not use water jet as an extinguisher, as this will spread the fire.

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Highly flammable liquid and vapor.

May include and are not limited to: Oxides of carbon.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

#27792 Page: 2 of 9 Issue date 31-March-2020

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect

material from direct sunlight. When using do not smoke.

Take precautionary measures against static discharges. Use non-sparking tools and explosion-proof equipment.

Avoid breathing mist or vapor. Avoid contact with eyes. Avoid prolonged exposure.

Wear appropriate personal protective equipment.

Wash thoroughly after handling.

Use good industrial hygiene practices in handling this material.

When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store locked up.

Keep away from heat, sparks and open flame.

Prevent electrostatic charge build-up by using common bonding and grounding techniques.

Store in a cool, dry place out of direct sunlight.

Store in original tightly closed container.

Store in a well-ventilated place.

Store away from incompatible materials (see Section 10 of the SDS).

Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits

Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3
		1000 ppm

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	rype	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	rype	value
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3 1000 ppm

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value
Ethanol (CAS 64-17-5)	15 minute	1250 ppm
	8 hour	1000 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Limit Valu	ues		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	

Biological limit values No biological exposure limits noted for the ingredient(s).

TWA

Exposure guidelines

Appropriate engineering

Ethanol (CAS 64-17-5)

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

1900 mg/m3 1000 ppm

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. As required by employer code.

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

> Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

When using, do not eat, drink or smoke.

9. Physical and chemical properties

Appearance Liquid saturated on wipe

Physical state Liquid.

Liquid saturated on wipe **Form**

White Color Odor ethanolic Not available. **Odor threshold** Not available. pН Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Pour point 0.8 - 0.85 (Liquid) Specific gravity Partition coefficient Not available.

(n-octanol/water)

62.6 °F (17.0 °C) Tag Closed Cup (Liquid) Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure

Not available. Vapor density Relative density Not available. Wipe is not soluble Solubility(ies) **Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Viscosity Not available.

Other information

Oxidizing properties Not oxidizing.

10. Stability and reactivity

This product may react with strong oxidizing agents. Reactivity

Possibility of hazardous

Hazardous polymerization does not occur.

reactions

Material is stable under normal conditions.

Chemical stability Avoid heat, sparks, open flames and other ignition sources. Do not mix with other chemicals. Conditions to avoid

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological information

Eye, Skin contact, Inhalation, Ingestion. Routes of exposure

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause irritation to the Inhalation

respiratory system. Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause

respiratory irritation. Coughing. Skin irritation. May cause redness and pain.

Information on toxicological effects

Narcotic effects. May cause respiratory irritation. **Acute toxicity**

Components **Species Test Results** Ethanol (CAS 64-17-5)

Acute Dermal

Rabbit LD50 > 15800 mg/kg, SIDS initial assessment

Inhalation

LC50 Mouse > 60000 ppm, 60 Minutes, ECHA

> Rat 31623 ppm, 4 Hours, HMIRA

Oral

12400 mg/kg, ECHA LD50 Rat

10470 mg/kg, ECHA

Hexadecanoic acid, 1-methylethyl ester (CAS 142-91-6)

Acute

Dermai

Rabbit LD50 > 5000 mg/kg, Sigma Aldrich

Inhalation

LC50 Rat > 5.3 mg/L, 4 Hours, ECHA

Oral

LD50 Mouse > 5000 mg/kg, ECHA

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutes Not available. Erythema value Not available. Not available Oedema value

#27792 Page: 5 of 9 Issue date 31-March-2020 Serious eye damage/eye

irritation

Causes serious eye irritation.

Corneal opacity value

Not available. Not available. Iris lesion value

Conjunctival reddening

value

Not available.

Not available. Conjunctival oedema value Not available. Recover days

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Mutagenicity

mutagenic or genotoxic.

Ethanol is not considered to be a carcinogenic component for this product. The product is not an Carcinogenicity

alcoholic beverage for consumption. See below.

Canada - Manitoba OELs: carcinogenicity

Ethanol (CAS 64-17-5) Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Ethanol (CAS 64-17-5) Volume 44, Volume 96, Volume 100E

Volume 96, Volume 100E

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Teratogenicity Not available.

Specific target organ toxicity -

single exposure

May cause respiratory irritation. May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

		12. Ecological information	
Ecotoxicity	See below		
Ecotoxicological data Components		Species	Test Results
Ethanol (CAS 64-17-5)			
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) > 100 mg/L, 96 hours
Persistence and degradability No data is avai		vailable on the degradability of this product	<u>.</u>
Bioaccumulative potential			
Mobility in soil	No data avai	lable.	
Mobility in general	Not available	1	

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in

accordance with all applicable regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#27792 Page: 6 of 9 Issue date 31-March-2020

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN3175

Proper shipping name Solids containing flammable liquid, n.o.s.

Technical name Ethanol
Hazard class 4.1
Packing group II
Marine pollutant Yes

Special provisions 47, IB6, IP2, T3, TP33

Packaging exceptions 151
Packaging non bulk 212
Packaging bulk 240

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN3175

Proper shipping name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Technical nameEthanoHazard class4.1Packing groupIISpecial provisions16, 56

DOT



TDG



15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Ethanol (CAS 64-17-5)

1 TONNES

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely No

hazardous substance

SARA 311/312 Hazardous Yes

chemical

Classified hazard Flammable (gases, aerosols, liquids, or solids)

categories Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Illinois Chemical Safety Act: Listed substance

Ethanol (CAS 64-17-5)

US - Louisiana Spill Reporting: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Minnesota Haz Subs: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Texas Effects Screening Levels: Listed substance

Ethanol (CAS 64-17-5)

Hexadecanoic acid, 1-methylethyl ester (CAS
142-91-6)

Listed.
Listed.

US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5)

US. New Jersey Worker and Community Right-to-Know Act

Ethanol (CAS 64-17-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol (CAS 64-17-5)

US. Rhode Island RTK

Ethanol (CAS 64-17-5)

US. California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information



Disclaimer The information in the safety data sheet was written by Dell Tech Laboratories Ltd.

(www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 31-March-2020

Version # 02

Effective date 26-March-2020

Prepared by Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Further information Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.