

Safety Data Sheet

ENDURA MAKEUP & HAIR (ALL SHADES)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Manufacturer EBA Design Inc.

760 W. 16th St., Unit D Costa Mesa, CA 92627

Telephone (800) 991-4322 **Fax** (714) 389-4312

Product Names Endura Makeup & Hair (All Shades)

Recommended Use Cosmetics/personal use

Restrictions on Use Not Applicable

Emergency Contact / Number PERS: US/Canada: 800-633-8253; International: 801-629-0667

PERS Administrative Office: 1-800-728-2482

SECTION 2: HAZARD IDENTIFICATION


Signal Word DANGER

Hazards

Flammable liquid Category 2, Highly flammable liquid and vapor Eye damage/irritation Category 2A, Causes serious eye irritation

Specific target organ toxicity

-respiratory Category 3, May cause respiratory irritation
-central nervous system Category 3, May cause drowsiness or dizziness



Prevention

Keep away from heat, sparks, open flames and hot surfaces. No smoking. Keep container tightly closed. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, light, equipment, etc. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing fumes or mist. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves and clothing, eye and face protection.

Response

In case of fire: Use water mist, dry chemical, foam or CO_2 to extinguish and if on skin or hair immediately take off all contaminated clothing. Rinse skin with water or shower.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing. Call a POISON CENTER, doctor or physician if you feel unwell. If eye irritation persists get medical advice or attention. In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction

Storage and Disposal

Keep container tightly closed. Store locked up in a cool, well ventilated place. Dispose of contents and container to an approved waste disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS#	Component Percent or Range	
Ethanol	64-17-5	60 - 90	
Ethyl acetate	141-78-6	1- 10	
Non-hazardous ingredients	Mixture	1- 30	

EBA Design Inc.

Creation or Revision Date: July 8, 2016

SECTION 4: FIRST AID MEASURES

Eye: Immediately flush with water for at least 15 minutes, lifting upper and lower eyelids intermittently. Get medical help if irritation occurs and persists.

Skin: Flush contact area with water if irritation occurs. Get medical assistance or advice if irritation persists.

Inhalation: Not applicable under normal use. Get medical aid if symptoms occur and persist.

Ingestion: If swallowed drink water or milk to dilute. Do not induce vomiting without medical advice. Never give anything by mouth if victim is semi-conscious or unconscious. Seek medical attention immediately.

Most Important Symptoms / Effects: None known.

Indication of Immediate Medical Attention and Special Treatment, If Necessary: None known.

SECTION 5: FIREFIGHTING MEASURES

Suitable and Unsuitable Extinguishing Media: Water mist, dry chemical, foam, CO₂; water stream may be ineffective but should be used to keep fire-exposed containers cool.

Specific Hazards: May release CO, CO₂ and possibly toxic fumes in a fire. Product is flammable with a low flash point and may be ignited by heat, sparks, flames or other sources of ignition. Vapors are heavier than air and may accumulate in low areas. Vapors may travel considerable distances to a source of ignition where they can ignite, flashback or explode. May create vapor/air explosion hazard indoors, outdoors or in sewers. If container is not properly cooled, it can explode in the heat of a fire.

Specific Protective Equipment and Precautions for Fire-Fighters: Use a water spray to cool fire-exposed containers and structures and to protect personnel. Firefighters should wear a self-contained breathing apparatus and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

See Section 8 for personal protective gear.

Personal Precautions: Isolate release area and keep unnecessary or untrained people away. Product is flammable; keep all sources of ignition and hot metal surfaces away from spill.

Environmental Precautions: Contain spill if it can be done with minimal risk and prevent from entering drains, sewers or waterways. Notify proper authorities.

Methods for Cleaning Up: Use foam on spills to minimize vapors. Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container. Large spills: Evacuate area and shut off spill if safe to do so. Dike area to contain spill. Soak up residue with clay or other absorbent. Place in container for proper disposal. Flush area with water and dispose of this in the same manner. Small spills: Take up with absorbent; place in non-leaking containers.

SECTION 7: HANDLING AND STORAGE

See Section 8 for personal protective gear.

Handling: Store in a cool, dry, well-ventilated location. Ground equipment as required. Keep away from sparks and flame. Wear proper protective equipment. Do not ingest. Use good hygiene practices when handling product, including changing and laundering work clothes after use. Empty containers may contain residue or vapors. Do not cut, grind, drill, weld or reuse containers.

Storage Store product in closed containers in a well-ventilated area away from heat, sources of ignition and incompatibles. Do not store in unlabeled containers.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Component Name	OSHA	ACGIH
Ethanol	1,000 ppm	1,000 ppm
Ethyl acetate	400 ppm	400 ppm

Engineering Controls: Use appropriate ventilation to maintain good air quality below OSHA and ACGIH exposure limits.

Eye and Face Protection: Wear glasses to protect eyes if task or activity warrants.

Skin Protection: Not harmful to skin.

Respiratory Protection: Follow OSHA regulations (CFR 1910.134) and use MSHA/NIOSH-approved respirator or mask to prevent exposure in areas where vapor concentrations are unknown or exceed OSHA or ACGIH limits (above).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Description: Alcohol based airbrush makeup in a variety of colors

Appearance/Physical State	Colored liquid	Flash Point (ASTM D56-05)	51 °F
Specific Gravity	0.82 - 0.83	Upper Flammability Limits	Not Determined
Evaporation Rate (butyl acetate = 1)	Not Determined	Lower Flammability Limits	Not Determined
рН	7.5	Auto-ignition Temperature	Not Determined
Solubility in Water	Negligible	Decomposition Temperature	Not Determined
Odor	Fruit scent	Vapor Pressure	Not Determined
Odor Threshold	Not Determined	Vapor Density (Air-=1)	>1
Melting/Freezing Point	Not Determined	Partition Coefficient (n-octanol/water)	Not Determined
Boiling Range	Not Determined	Viscosity (mPa. s, 20 °C)	Not Determined
Initial Boiling Point	190 °F	Critical Temperature	Not Determined
Initial Boiling Point	190 °F	•	Not Determined

Note: Physical and chemical properties are provided for safety, health and environmental considerations and do not fully represent product specifications. Those should be requested separately.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not reactive at normal storage and use conditions **Chemical Stability:** Stable at normal storage and use conditions

Incompatible Materials: Strong oxidants, silver salts, acid chlorides, alkali metals, metal hydrides, hydrazine

Possibility of Hazardous Reactions: None known Conditions to Avoid: Very high temperature

Hazardous Decomposition Products: Thermal decomposition products may include CO, CO₂, fumes and smoke which may be toxic.

SECTION 11: TOXICOLOGICAL INFORMATION

Specific toxicity tests have not been conducted on this product. In accordance with OSHA's Hazard Communication Standard 1910.1200, this product is assumed to have the same health hazards as its significant components.

Acute Toxicity Effects: Likely routes of exposure are skin and eye contact during product use. The product components (ethanol, ethyl acetate and castor oil) have low oral and dermal toxicity. Ethanol is an eye irritant. Product is considered to be gluten-free, peanut-free, and vegan. Color additives approved by FDA for use in cosmetics.

Chronic Toxicity Effects: Repeated and prolonged exposure may exacerbate any acute effects.

Carcinogenicity: NTP, IARC and OSHA have not identified any carcinogenic ingredients above the statutory limit of 0.1%.

SECTION 12: ECOLOGICAL INFORMATION

Specific environmental tests have not been conducted on this product. It is not classified as an environmental hazard based on the properties of the components. Readily biodegrades and does not bio-accumulate.

SECTION 13: DISPOSAL CONSIDERATIONS

Not a hazardous waste. Dispose of in accordance with local, state/province, and federal environmental regulations.

SECTION 14: TRANSPORT INFORMATION

DOT: Consumer Commodity ORM-D (cf. 49 CFR 172.101)

IATA/ICAO: Class 9, ID8000

IMO/IMDG: UN1263, Class 3 Flammable Liquid, Packing Group II

Packaging Authorizations: This product is provided only in non-bulk containers.

Special Provisions (172.102): Emergency Response Guide #127

SECTION 15: REGULATORY INFORMATION

TSCA Status: All components are listed in the TSCA inventory

SARA 311/312 Reporting Categories: None SARA 313 Reportable Ingredients: None

SECTION 16: OTHER INFORMATION

Department Issuing SDS: Health and Safety

Disclaimer

The information presented above is believed to be accurate and represents the best information currently available to us. We make no warranty, express or implied with respect to such information and we assume no liability resulting from its use. In no way shall EBA Design Inc. be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages even if EBA Design Inc. has been advised of the possibility of such damages.